

# Update node configuration file

Configurations specific to the node (as opposed to properties for the applications) are located in the `local-node.xml` file. Assuming that tomcat is currently running and you are in the **SSH** terminal:

1. Stop tomcat (Customize eagle-i repository -> Stop the running tomcat instance)
2. Go to the eagle-i configuration directory
  - `cd /opt/eaglei/conf/`
3. Using the text editor of your choice, edit the `local-node.xml` file
  - `vim local-node.xml`
4. Follow the instructions in the comments to update the `<node></node>` section. Specifically, update lines 14, 21, 24, 26, 29.
5. Save your changes.
6. Start tomcat (Customize eagle-i repository -> Start tomcat)

## local-node.xml

```
<local>
  <!-- Global node information is required to access centrally
  curated resources -->
  <!-- This section should be used as is, unless otherwise
  directed -->
  <global URL="http://global.eagle-i.net">
    <institutionList>
      <institution
URI="http://purl.org/eagle-i/app-ext/#ERO_0000065_29"
      graphURI="test29">

<namespace>http://global.eagle-i.net/i/</namespace>
      <label>Centrally Curated
Resources</label>

<logoSrc>https://www.eagle-i.net/logos/logo_global.png</logoSrc>
      </institution>
    </institutionList>
  </global>
  <node URL="https://ec2-54-175-59-6.compute-1.amazonaws.com/">
<!-- REQUIRED: url for the node -->
    <institutionList>
      <!-- REQUIRED: URI and graphURI for the
institution/repository -->
      <!-- NB: URI will eventually be allocated by
eagle-i's global repository; -->
      <!-- for the time being, choose a URI in your
repository's instance namespace. -->
      <!-- This URI doesn't need to be resolvable,
it is simply an identifier -->
      <!-- NB: graphURI is required but is not
currently used. -->
      <institution
URI="http://unique.key.for/insitution" graphURI="inst">
      <!-- REQUIRED: This is the namespace
that the instances are in for this repository. -->
      <!-- The namespace needs to be a well
formed url -->
```

```
<namespace>http://ec2-54-175-59-6.compute-1.amazonaws.com/i/</namespa  
ce>  
                                <!-- REQUIRED: This is the label that  
is used in the UI display. -->  
                                <label>AMI test repository</label>  
                                <!-- OPTIONAL: Logo to be displayed  
for institution. -->  
                                <!-- If not supplied, the default is  
blank square. -->  
  
<logoSrc>https://alaska.qa.eagle-i.net:8443/sweet/images/eaglei-mediu  
m-blue.png</logoSrc>  
                                </institution>
```

```
        </institutionList>
    </node>
</local>
```